

# An Explanation Method of Unfamiliar Tourist Spots based on Roles of User's Familiar Spots

Kenta Han, Daisuke Kitayama

**Abstract**—Most tourists resort to available information online when planning for leisure travel; however, this recourse often becomes problematic and misleading as tourist of the information may be directed to unfamiliar areas. On this regard, we proposed a method of explaining unfamiliar spots through the familiar features of spots they have visited. In this paper, at first, we generated the feature vector using user reviews of the tourist spot. Next, we used the relative feature vector compared with already visited spots to extract the role of the tourist spot for the user. Finally, we associated the visited spot with the unfamiliar spot by the similarity of the relative feature vector, and further extracted keywords that explain the relation. Furthermore, we developed a prototype of the system and evaluated the effect of the explanatory information between the familiar and unfamiliar spots.

**Index Terms**—Tourist spots, explainability, tourist reviews, paragraph vector

## I. INTRODUCTION

TOURISTS often resort to web information when planning travel destinations. The accuracy of these published guides is oftentimes unreliable and leads to the high probability of the traveler getting lost in an unfamiliar area. At present, most tourists read online reviews, travel and leisure communities ranking, and search engine recommendations regarding the spots they consider visiting. In a tourist spot search engine such as Tripadvisor<sup>1</sup> and Jalan<sup>2</sup>, the tourist who visited there about a certain tourist spot posted reviews and there is a wealth of information on tourist spots. However, since the tourist has no prior knowledge about the search area, what kind of tourist spot is to be confirmed one by one. Therefore, in order to effectively understand various tourist spots, we think that it is effective if we compare an unfamiliar spot using a visited spot of tourist. As an alternative, we proposed an effective locator technique for an unfamiliar spot using a spot visited and familiar to the user. This approach is analogous to employing experience over the current problem. To elucidate further, the previous experience indicates the familiar spot and the current problem is the unfamiliar spot. For instance, unfamiliar spots such as “Omotesando” in Tokyo, Japan may be located and understood easier by a newcomer French user when it is described as “Avenue des Champs-Elysees” in Paris, given that he/she has visited and is familiar with the latter area.

Manuscript received December 20, 2018; revised January 10, 2019.

This work was supported by ISPS KAKENHI of Grant-in-Aid for Scientific Research(C) Grant Number 18K11551.

K. T. Han is with the Graduate School of Engineering, Kogakuin University, Japan; e-mail: em18011@ns.kogakuin.ac.jp.

D. Kitayama is with the Faculty of Informatics, Kogakuin University, Japan; e-mail: kitayama@cc.kogakuin.ac.jp.

<sup>1</sup><https://www.tripadvisor.com/>

<sup>2</sup>Jalan is a review posting site on tourist spots in Japan.  
<https://www.jalan.net/kankou/>

In the proposed method, the user inputs already visited and unfamiliar area. From this, a feature vector is generated based on user reviews of the tourist spot. Next, we use the relative feature vector compared with already visited spots to extract the role of the tourist spot for the user. Finally, the visited spot is associated with the unfamiliar spot by similarity of their relative feature vector, and keywords that explain the relation are further extracted. This way, we aim to enhance user understanding of unfamiliar spots. Figure 1 shows the concept of the proposed method.

The rest of the paper is structured as follows. Section II, introduces related works on the concept, while Section III describes the method. Evaluation experiments and their results are discussed in Section IV. Finally, Section V, presents the conclusions of the paper and our future work.

## II. RELATED WORK

### A. Tourist spot retrieval and recommendation system

Several research on retrieval and recommendation system using user's experience history have been published. Kurashima et al.[1] proposed a travel route recommendation method using geotag information of aggregated photos posted at Flickr, which could be regarded as personal travel history when sorted by time information. In this method, moving from a user's present location to a place easily accessible to his/her interest was presumed, and a behavior model was generated using the geotag information. Kitamura et al.[2] recommended sightseeing spots by estimating user's preferences of travel plan from past personal travel photographs using a general object recognition system to acquire keywords of subject information taken from the photos. Moreover, she represented the co-occurrence of the keywords by a graph visualization technique, which presents a user interface that visualizes a graph with travel photos. Conversely, Cheng et al.[3] used photographs of freely available community contributions to focus on personalized trip recommendations, considering suggested specific user profiles or attributes.

### B. The analogy and its applications

Analogy were pointed out as contributing to creative thinking[4]; analogical thinking works when acquiring a concept (called the target) from known knowledge (called the bases)[5]. Many research on analogy were given the base learning data and targeted problems, and the problems were solved by mapping the features of things to the feature of the problem[6]. Gick et al. investigated the use of analogies between disparate domains as a guide to finding solutions for an ill-defined problem. Some studied on how to give learning data and functions[7], and clarified whether to solve the problem depending on the degree of cognitive proficiency[8].




Fig. 1. An explanation method of unfamiliar tourist spots based on roles of user's familiar spots

In many of the conventional research including these, after giving bases and targets for analogy, problems were solved according to a certain procedure. There are three types of structural similarities: “similarity of object level” determined by the number of shared features, “relationship similarity” based on the degree of sharedness of relationships existing in the base and the relationship existing in the base, and “pragmatic similarity” based on the title solution or target level [5], [9].

In the conventional method of using the user’s experience history, several research analyzed the geotag information of the history photograph and converted them into user’s preference; analogy techniques were also utilized to support learning and understanding. In this research, a review of familiar spots and unfamiliar spots and the relative features of each spot, via the sets of spots familiar and unfamiliar to the user, were determined and associated to enhance understanding of the area information. As it exploited analogy explicitly, this paper is presumed to have similar structure as with the “similarity of relationship level.”

### III. AN EXPLANATION METHOD OF UNFAMILIAR TOURIST SPOTS

We propose an explanation method of unfamiliar tourist spots based on roles of user’s familiar spots. At first, the user inputs a set of tourist spots that have been visited and tourist area that user wishes to visit. In our method, we generate the feature vector using user reviews of the tourist spot. Next, we use the relative feature vector compared with already visited spots to extract the role of the tourist spot for the user. Similarly, we calculate the relative feature vector of each tourist spot in the unfamiliar area by comparing with other tourist spots in that area. Then, we associate the visited spot with the unfamiliar spot by the similarity of the relative feature vector. Finally, we extract keywords that explain the relation.

#### A. Generating feature vector using user reviews of spot

We used the review data obtained from “Jalan” until the end of September 2016. We generated feature vectors of tourist spots using paragraph vector[10]; we combined all reviews on a tourist spot and treated them as one document.




Fig. 2. Concept of similarity calculation

We used a Python library called gensim<sup>3</sup> to calculate the paragraph vector, and the Distributed Bag-of-Words with 300 dimensions as the learning method. As user reviews in Jalan are written in Japanese, we used MeCab[11] as the Japanese morphological analyzer with dictionary “mecab-ipadic-NEologd”<sup>4</sup>.

#### B. Relative features for role of tourist spots

We extracted the role of tourist spots by comparing their relative features with those of other tourist spots. A relative feature is defined here as the feature of the target spot that is compared to the average feature of a set of tourist spots. For example, we could consider “the Tokyo Metropolitan Government Building Observatories (TMGBO)” and “Kinkakuji Temple” under a set of famous tourist spots in Japan. The relative features of “Kinkakuji Temple” are the temple, its golden color, the city of Kyoto, and so on, while “TMGBO” has the features of panoramic view, night view, the building itself, the Shinjuku ward, and so on. When compared with other tourist spots, the relative features of the two examples tend to be general features, categories, and places.

Let us take another example. We could consider “Kinkakuji Temple” and “Kiyomizudera Temple” under a set of temples in Kyoto, Japan. The relative features of “Kinkakuji Temple” are its golden color, gold leaf, brilliance, and so on, while for “Kiyomizudera Temple” these features include the stage, the panoramic view, and so on. As both temples are located in Kyoto, features related to Kyoto and temples do not appear as relative features; instead, more detailed features are obtained.

The relative feature vector  $r_{state,i}$  is obtained by subtracting the average of feature vectors of other spots from its own feature vector as in

$$r_{state,i} = s_i - \text{average}(S_{state} - s_i), \quad (1)$$

where  $S_{state} = \{s_1, s_2, \dots, s_n\}$  is a familiar spot set when  $state$  is ‘f’; otherwise, it is an unfamiliar spot set when  $state$  is ‘u’. The term  $s_i$  is a feature vector of a tourist spot in the set  $S_{state}$ .

#### C. Determination of an explainable spot

We used a familiar spot to explain the spot in the unfamiliar area. We associated unfamiliar spots and familiar spots

<sup>3</sup><https://radimrehurek.com/gensim/models/doc2vec.html>

<sup>4</sup><https://github.com/neologd/mecab-ipadic-neologd/>

through the similarity calculated by the relative feature vector of the familiar spot  $r_{f,i}$  and the unfamiliar spot  $r_{u,j}$  (Fig. 2). We used the cosine scale below for the calculation

$$\cos(r_{f,i}, r_{u,j}) = \frac{r_{f,i} \cdot r_{u,j}}{|r_{f,i}| \times |r_{u,j}|}. \quad (2)$$

The association procedure is explained as follows. First, we associated a spot with the highest degree of similarity to a certain spot. If similarity falls below the threshold (0.125 in this paper) then no association is made. The result depends on whether the familiar spot having the highest degree of similarity to the unfamiliar spot is associated, or the unfamiliar spot having the maximum similarity to the familiar spot is associated. In the former condition, when all similarities exceed the threshold, all familiar spots have corresponding spots but not all unfamiliar spots have corresponding spots. Conversely, in the latter case, when all similarities have exceeded the threshold, all unfamiliar spots have corresponding spots. To provide explanation for an unfamiliar spot, we adopted the latter condition.

#### D. Extraction of explainable words for role

Keywords representing the viewpoints of association between the unfamiliar and familiar spots were presented to the user. However, as extracting the feature of a word from the relative feature vector was not possible, we resorted to another method. As a premise, all reviews were divided into words by the Japanese morphological analyzer MeCab, where we used “mecab-ipadic-NEologd” as the dictionary; however, the words particle, auxiliary verb, adnominal, symbol, and stop, were deleted. For the keyword extraction, we first obtained a feature word and TFIDF value from the target familiar spot and unfamiliar spots by the TFIDF method. Next, we calculated the harmonic mean of the TFIDF values to score feature words common to the two spots. Finally, we extracted the feature words with high scores as explainable words.

We calculated the feature value of a keyword in a spot by the formula

$$TFIDF(t, d, state) = TF(t, d) \times \log\left(\frac{|S_{state}|}{DF(t, state)}\right), \quad (3)$$

where function  $TF(t, d)$  returns the number of the keyword  $t$  in the document  $d$ , which combines all reviews of a spot into one; function  $DF(t, state)$  returns the number of documents that include keyword  $t$  and;  $|S_{state}|$  is the total number of spots. When  $state$  was  $f$ , we calculated TFIDF using a set of familiar spots from the user spot inputs. Likewise when  $state$  was  $u$ , we calculated TFIDF using the set of unfamiliar spots from the user area inputs.

We extracted the explainable keywords of the associated familiar and unfamiliar spots using the harmonic mean of the TFIDF values of the feature words common to the two spots. First, we extracted words commonly appearing in the review document of the familiar and unfamiliar spots. Next, we calculated the score of the extracted word by formula 4.  $TFIDF(t, d, f)$  and  $TFIDF(t, d, u)$  indicate the TFIDF value of the familiar and unfamiliar spots, respectively. The word has high importance in each spot when the score is large. Therefore, the top  $N$  words of the score were presented as explanatory information to the user (Fig. 3).



Fig. 3. User interface of prototype system

TABLE I  
 SET OF FAMILIAR AND UNFAMILIAR SPOT

Familiar Spot Name	Unfamiliar Spot Name
Sensoji Temple	Tokyo Disneyland (R)
Odawara-jo Park	Shinjuku Gyoen
Fushimiinari-taisha Shrine	Tokyo Skytree
Nara Park	Tokyo Tower Main Deck
Mishima Skywalk	Meiji Jingu

$$score(t, d) = \frac{2 \times TFIDF(t, d, f) \times TFIDF(t, d, u)}{TFIDF(t, d, f) + TFIDF(t, d, u)}. \quad (4)$$

#### E. Example of explained unfamiliar spots

Table I shows an example of a set of user’s familiar and unfamiliar spots. Five unfamiliar spots were randomly selected within Tokyo. Table II shows the list of explainable words using the proposed method in Section III.

Focusing on the feature of the park, we believed that the spot closest to the park in the set of unfamiliar spots was “Shinjuku Gyoen.” In the set of familiar spots there were two parks, “Odawara-jo Park” and “Nara Park.” “Odawara-jo Park” had many descriptions about flowers and play equipment, while “Nara Park” had many descriptions about deers and grasses. Because “Shinjuku Gyoen” had many descriptions about flowers and play equipment, it seemed related to “Odawara-jo Park.”

In the set of familiar spots, “Mishima Skywalk” had features of good view and high place, while “Tokyo Skytree” and “Tokyo Tower Main Deck” had the same features in the set of unfamiliar spots. In this case, both could be considered as similar relative features. However, “Mishima Skywalk” was associated with “Tokyo Skytree” as the latter had a better view than “Tokyo Tower Main Deck.” Moreover, “Mt. Fuji” was extracted as an explainable keyword. A word that emphasizes the good view seemed to express the relationship appropriately. Thus, the proposed method can show the feature of each relationship.

## IV. EVALUATION EXPERIMENT

#### A. Experiment settings

We compared the proposed method with these existing methods:

- A. Metadata (category, duration time, season)
- B. Paragraph vector (feature vector)

TABLE II  
 EXPLANATION INFORMATION

Unfamiliar Spot	Familiar Spot	Explanation Information
Shinjuku Gyo-en	Odawara-jo Park	flower viewing, bloom, inside the park, cherry-blossoms, leisurely, maintenance, nature, play equipment, azalea
Tokyo Skytree	Mishima Skywalk	Mt. Fuji, swing, high fear, ceiling, magnificent view, elevator, panorama, observation deck, rising

### C. Proposed Method (relative feature vector)

Metadata (A) is used for searching spots on sightseeing spots search site. We selected three metadata that are often used:

- Category: e.g., shrine/temple, tourist facilities/tourist tours
- Duration time: e.g., less than one hour, 1-2 hours
- Season: e.g., 1-12 month, spring, summer, autumn, winter

In method A, familiar and unfamiliar spots of the same category, duration time, and season were extracted. If otherwise these could not be extracted, conditions in the order of season, duration time, and category were deleted. If there were multiple unfamiliar spots, we selected the one with the largest number of reviews. Moreover, we extracted the explainable words using Section III-D and presented them to the subjects.

Paragraph vector (B) uses the feature of each spot using the feature vector created in Section III-A. For this method, we extracted the explainable words using Section III-D and presented them to the subjects.

We gathered 24 subjects using CrowdWorks<sup>5</sup> and presented them explainable information of unfamiliar spots based on their familiar spots using each method. The subjects inputted four to ten tourist spots they had visited and favored. In the system, to match the input character string with the spot name, the subjects selected from the spot list the candidates similar to the input character string. Afterwards, the subjects were asked to input destinations they intend to visit. We presented familiar and unfamiliar spots associated with methods A to C and their explainable keywords ( $N \leq 5$ ). The subjects evaluated the results by choosing one out of the following five options.

- 1) No keyword.
- 2) There is a relationship between the two spots, and the relationship became clear by keywords.
- 3) There is a relationship between the two spots, and I noticed the relationship for the first time by keyword.
- 4) There is a relationship between the two spots, but the keyword does not represent the relation.
- 5) There is no relationship between the two spots.

### B. Results

Table III shows the experimental results for methods A to C. A total of 285 usable data were used in the experiment. As shown, method A had the smallest number of familiar spots associated with unfamiliar spots, while method B had the largest number of familiar spots related to unfamiliar spots.

Table IV shows the ratio of the number of the experimental results from options 1-5 in A to C. Most subjects chose option 2 for method A; this implied that A could associate spots having similar relationships. As for the proposed method (C),

<sup>5</sup>CrowdWorks is a crowdsourcing service in Japan. <https://crowdworks.jp/>

TABLE III  
 EXPERIMENTAL RESULTS

Evaluation	Method A	Method B	Method C	Total
1	0	0	0	0
2	19	44	32	95
3	20	62	53	135
4	1	3	3	7
5	6	21	21	48
Total	46	130	109	285

TABLE IV  
 PERCENTAGE OF EVALUATION IN EXPLANATION INFORMATION

Evaluation	Method A	Method B	Method C
1	0.00%	0.00%	0.00%
2	41.30%	33.85%	29.36%
3	43.48%	47.69%	48.62%
4	2.17%	2.31%	2.75%
5	13.04%	16.15%	19.27%

the ratio of option 2 decreased while it increased for option 3. This trend implied that method C found and presented hidden relationships. However, as the ratio of option 5 also increased, we could say that irrelevant spots were easier to extract.

When options 2 and 3 were summed, method A had the highest explanation information percentage; therefore, it had the highest accuracy of association. However, as described above, option 2 is a natural relationship, and method A could extract only a small number. In our opinion, options 2 and 3 were observed to be in a trade-off relationship. Option 2 was a relationship that did not need bothersome explanation, while option 3 was a relationship worthy of explanation. We believe it important to increase choice 3 as much as possible while maintaining option 2. From this point of view, method B and the proposed method would show the same degree of accuracy.

Option 3 had the high possibility of changing to option 5 if keyword extraction failed. Therefore, we would need to improve the method of keyword extraction.

For methods B and C, the same trend was shown to the case where the category of the familiar spots inputted by the subject was different. Table V shows the ratio of the evaluation of options 2 and 3. In the familiar spot set, if the number of spots in the same category exceeds half, the category is defined to be the same. Otherwise the category is defined to be different. With method C, which is the proposed method, subjects could present meaningful keywords without needing relation to a certain spot the subject has visited and is familiar with. Using the relative feature vector, the characteristics of each spot could be compared to using category. Furthermore, method B was better in the case where the genres of the familiar spots were similar.

### V. CONCLUSIONS AND FUTURE WORK

We focused on the difficulty of understanding the tourist spots searched by using the tourist spot search engine in

TABLE V  
 EVALUATION PERCENTAGES WHEN THE CATEGORIES OF ARE DIFFERENT  
 OR SAME

	Different	Same
Method B & Option 2	56.82%	43.18%
Method C & Option 2	71.87%	28.13%
Method B & Option 3	51.61%	48.39%
Method C & Option 3	52.83%	47.170%

ranking, recommendation information, categories, and so on., if the presented tourist spots are unfamiliar for the user. In order to support understanding of unfamiliar spots, we proposed an explanatory method to support understanding by comparing unfamiliar spots with familiar spots that users have already visited.

We evaluated three methods, including our proposed method, for their accuracy on providing explanatory information. Using categories, the number of familiar spots associated with unfamiliar spots had the lowest accuracy. However, using relative feature vector and harmonic mean, the characteristics of each spot can be obtained. In addition, we confirmed it possible to correlate unexpected unfamiliar spots with familiar spots, and that there is a possibility that interest and attention can be drawn to tourist spots that users do not know.

As future work, we intend to analyze the experimental results in terms of effectiveness and relevance of each keyword presented to the users.

#### REFERENCES

- [1] T. Kurashima, T. Iwata, G. Irie and K. Fujimura., “Travel route recommendation using geotags in photo sharing sites”, CIKM ’10 Proceedings of the 19th ACM international conference on Information and knowledge management, pp.579-588, 2010
- [2] R. Kitamura and T. Itoh, “Tourist Spot Recommendation Applying Generic Object Recognition with Travel Photos”, ITE Tech. Rep., Vol.42, No.12, AIT2018-94, pp.185-188, 2018
- [3] A. J. Cheng, Y. Y. Chen, Y. T. Huang and Winston H. Hsu, “Personalized Travel Recommendation by Mining People Attributes from Community-Contributed Photos”, MM ’11 Proceedings of the 19th ACM international conference on Multimedia, pp.83-92, 2011
- [4] K. J. Holyoak and P. Thagard, “Mental Leaps: Analogy in Creative Thought, MIT Press”, Journal of Japanese Society for Artificial Intelligence, Vol.11, No.3, pp.489, 1996
- [5] D. Gentner, “Structure-Mapping: A Theoretical Framework for Analogy”, Cognitive Science, Vol.7, pp.155-170, 1983
- [6] M. L. Gick and K. J. Holyoak, “Analogical Problem Solving”, Cognitive Psychology, Vol.12, pp.306-355, 1980
- [7] M. L. Gick and K. J. Holyoak, “Scheme Induction and Similarity in Analogical Transfer”, Cognitive Psychology, Vol.15, pp.1-38, 1983
- [8] Z. Chen and M. W. Daehler, “Positive and Negative Transfer in Analogical Problem-solving by 6-years-old Children”, Cognitive Development, Vol.4, No.4, pp.327-344, 1989
- [9] K. J. Holyoak and P. Thagard, “Analogical Mapping by Constraint Satisfaction”, Cognitive Science, Vol.13, pp.295-355, 1989
- [10] Quoc V. Le and Tomas Mikolov, “Distributed representations of sentences and documents”, In Proceedings of the 31th International Conference on Machine Learning, ICML 2014, pp. 1188-1196, 2014
- [11] T. Kudo, K. Yamamoto and Y. Matsumoto, “Applying Conditional Random Fields to Japanese Morphological Analysis”, Proceedings of the 2004 Conference on Empirical Methods in Natural Language Processing (EMNLP-2004), pp.230-237, 2004