

Classes of Ordinary Differential Equations Obtained for the Probability Functions of Gumbel Distribution

Hilary I. Okagbue, Olasunmbo O. Agboola, *Member, IAENG*, Abiodun A. Opanuga and Jimevwo G. Oghonyon

Abstract— In this paper, the differential calculus was used to obtain some classes of ordinary differential equations (ODEs) for the probability density function, quantile function, survival function, inverse survival function, hazard function and reversed hazard function of the Gumbel distribution. The stated necessary conditions required for the existence of the ODEs are consistent with the various parameters that defined the distribution. Solutions of these ODEs by using numerous available methods are new ways of understanding the nature of the probability functions that characterize the distribution. The method can be extended to other probability distributions, functions and can serve an alternative to approximation and estimation.

Index Terms— Survival function, Gumbel distribution, hazard function, calculus, differentiation, probability density function

I. INTRODUCTION

GUMBEL distribution is often used in modeling the distribution of the minimum and maximum of different distributions. The distribution was proposed by Gumbel [1-2] and had undergone modifications such as its generalization [3-4], beta Gumbel distribution [5], exponentiated Gumbel distribution [6], Kumaraswamy Gumbel distribution [7], exponentiated generalized Gumbel distribution [8], McDonald Gumbel distribution [9] and transmuted exponentiated Gumbel distribution [10]. Some aspects of the distribution studied by several authors which include: Bayesian analysis [11] and interval estimation [12].

The distribution has been applied in different fields and areas such as: modeling annual distribution of flood [13-14], fitting extreme wind speeds [15-17], modeling and predicting storm [18], modeling the frequency of earthquakes [19], extreme rainfall data analysis by [20-22], estimate the probability of pipe wall perforation [23], extreme tsunami heights [24], irrigation analysis [25],

Manuscript received June 30, 2017; revised July 25, 2017. This work was sponsored by Covenant University, Ota, Nigeria.

H. I. Okagbue, O. O. Agboola, A. A. Opanuga and J. G. Oghonyon are with the Department of Mathematics, Covenant University, Ota, Nigeria. (hilary.okagbue@covenantuniversity.edu.ng; ola.agboola@covenantuniversity.edu.ng; abiodun.opanuga@covenantuniversity.edu.ng; godwin.oghonyon@covenantuniversity.edu.ng)

estimation of the mean weight of fish in aquaculture cages [26], modeling and estimating risk of disease transmission [27] and modeling corrosion [28].

The aim of this research is to develop ordinary differential equations (ODE) for the probability density function (PDF), Quantile function (QF), survival function (SF), inverse survival function (ISF), hazard function (HF) and reversed hazard function (RHF) of Gumbel distribution by the use of differential calculus. Calculus is a very key tool in the determination of mode of a given probability distribution and in estimation of parameters of probability distributions, amongst other uses. The research is an extension of the ODE to other probability functions other than the PDF. Similar works done where the PDF of probability distributions was expressed as ODE whose solution is the PDF are available. They include: Laplace distribution [29], beta distribution [30], raised cosine distribution [31], Lomax distribution [32], beta prime distribution or inverted beta distribution [33].

II. PROBABILITY DENSITY FUNCTION

The probability density function of the Gumbel distribution is given as;

$$f(x) = \frac{1}{\sigma} \exp \left\{ - \left[\frac{x - \mu}{\sigma} + \exp \left(- \frac{x - \mu}{\sigma} \right) \right] \right\} \quad (1)$$

To obtain the first order ordinary differential equation for the probability density function of the Gumbel distribution, differentiate equation (1), to obtain;

$$f'(x) = - \frac{1}{\sigma^2} \left(1 - \exp \left(- \frac{x - \mu}{\sigma} \right) \right) \exp \left\{ - \left[\frac{x - \mu}{\sigma} + \exp \left(- \frac{x - \mu}{\sigma} \right) \right] \right\} \quad (2)$$

The condition necessary for the existence of equation is $\sigma > 0, \mu, x \in \mathbb{R}$.

Simplify using equation (1);

$$f'(x) = - \frac{1}{\sigma} \left(1 - \exp \left(- \frac{x - \mu}{\sigma} \right) \right) f(x) \quad (3)$$

Differentiating equation (3) leads to

$$f''(x) = -\frac{1}{\sigma} \left\{ \left(1 - \exp\left(-\frac{x-\mu}{\sigma}\right) \right) f'(x) + \frac{1}{\sigma} \left(\exp\left(-\frac{x-\mu}{\sigma}\right) \right) f(x) \right\} \quad (4)$$

The condition necessary for the existence of equation is $\sigma > 0, \mu, x \in \mathbb{R}$.

Equation (3) can be written as;

$$\frac{f'(x)}{f(x)} = -\frac{1}{\sigma} \left(1 - \exp\left(-\frac{x-\mu}{\sigma}\right) \right) \quad (5)$$

$$-\sigma \frac{f'(x)}{f(x)} = \left(1 - \exp\left(-\frac{x-\mu}{\sigma}\right) \right) \quad (6)$$

$$\exp\left(-\frac{x-\mu}{\sigma}\right) = 1 + \sigma \frac{f'(x)}{f(x)} \quad (7)$$

Substituting equations (6) and (7) into equation (4) gives

$$f''(x) = -\frac{1}{\sigma} \left\{ -\sigma \frac{f'(x)}{f(x)} f'(x) + \frac{1}{\sigma} \left(1 + \sigma \frac{f'(x)}{f(x)} \right) f(x) \right\} \quad (8)$$

$$f''(x) = \left\{ \frac{f'^2(x)}{f(x)} - \frac{f(x)}{\sigma^2} \left(1 + \sigma \frac{f'(x)}{f(x)} \right) \right\} \quad (9)$$

$$f''(x) = \frac{f'^2(x)}{f(x)} - \frac{f'(x)}{\sigma} - \frac{f(x)}{\sigma^2} \quad (10)$$

The second order ordinary differential equation for the probability density function of the Gumbel distribution is given by;

$$\sigma^2 f(x) f''(x) - \sigma^2 f'^2(x) + \sigma f(x) f'(x) + f^2(x) = 0 \quad (11)$$

$$f(0) = \frac{1}{\sigma} \exp\left\{ -\left[-\frac{\mu}{\sigma} + \exp\left(\frac{\mu}{\sigma}\right) \right] \right\} \quad (12)$$

$$f'(0) = -\frac{1}{\sigma^2} \left(1 - \exp\left(\frac{\mu}{\sigma}\right) \right) \left\{ \exp\left\{ -\left[-\frac{\mu}{\sigma} + \exp\left(\frac{\mu}{\sigma}\right) \right] \right\} \right\} \quad (13)$$

III. QUANTILE FUNCTION

The Quantile function of the Gumbel distribution is given as;

$$Q(p) = \mu - \sigma \ln(-\ln p) \quad (14)$$

To obtain the first order ordinary differential equation for the Quantile function of the Gumbel distribution, differentiate equation (14), to obtain;

$$Q'(p) = -\frac{\sigma}{p \ln p} \quad (15)$$

The condition necessary for the existence of equation is

$$\sigma > 0, 0 < p < 1.$$

Differentiate equation (15), to obtain;

$$Q''(p) = \left[\frac{\sigma}{p^2 (\ln p)^2} + \frac{\sigma}{p^2 \ln p} \right] \quad (16)$$

The condition necessary for the existence of equation is $\sigma > 0, 0 < p < 1$.

Squaring both sides of equation (15), one obtains

$$Q'^2(p) = \frac{\sigma^2}{p^2 (\ln p)^2} \quad (17)$$

$$\frac{Q'^2(p)}{\sigma} = \frac{\sigma}{p^2 (\ln p)^2} \quad (18)$$

Also dividing both sides of equation (15) by p ;

$$\frac{Q'(p)}{p} = -\frac{\sigma}{p^2 \ln p} \quad (19)$$

Substituting equations (18) and (19) into equation (16) gives

$$Q''(p) = \left[\frac{Q'^2(p)}{\sigma} - \frac{Q'(p)}{p} \right] \quad (20)$$

The second order ordinary differential equation for the Quantile function of the Gumbel distribution is given by;

$$\sigma p Q''(p) - p Q'^2(p) + \sigma Q'(p) = 0 \quad (21)$$

$$Q(0.1) = \mu - 0.834\sigma \quad (22)$$

$$Q'(0.1) = 4.343\sigma \quad (23)$$

IV. SURVIVAL FUNCTION

The survival function of the Gumbel distribution is given as;

$$S(t) = 1 - \exp\left\{ -\left[\exp\left(-\frac{t-\mu}{\sigma}\right) \right] \right\} \quad (24)$$

To obtain the first order ordinary differential equation for the survival function of the Gumbel distribution, differentiate equation (24), to obtain;

$$S'(t) = -\frac{1}{\sigma} \left(\exp\left(-\frac{t-\mu}{\sigma}\right) \right) \exp\left\{ -\left[\exp\left(-\frac{t-\mu}{\sigma}\right) \right] \right\} \quad (25)$$

The condition necessary for the existence of equation is $\sigma > 0, \mu, t \in \mathbb{R}$.

Equation (24) can be written as;

$$\exp\left\{ -\left[\exp\left(-\frac{t-\mu}{\sigma}\right) \right] \right\} = 1 - S(t) \quad (26)$$

Substituting equation (26) into equation (25), one gets

$$S'(t) = -\frac{1}{\sigma} \left(\exp\left(-\frac{t-\mu}{\sigma}\right) \right) (1 - S(t)) \quad (27)$$

Differentiate equation (27) to have

$$S''(t) = -\frac{1}{\sigma} \left\{ -\left(\exp\left(-\frac{t-\mu}{\sigma}\right) \right) S'(t) \right\}$$

$$-\frac{1}{\sigma} \left(\exp\left(-\frac{t-\mu}{\sigma}\right) \right) (1-S(t)) \} \quad (28)$$

The condition necessary for the existence of equation is $\sigma > 0, \mu, t \in \mathbb{R}$

$$S''(t) = \frac{1}{\sigma} \exp\left(-\frac{t-\mu}{\sigma}\right) \left\{ S'(t) + \frac{1}{\sigma} (1-S(t)) \right\} \quad (29)$$

Equation (27) can be simplified to become;

$$\frac{1}{\sigma} \left(\exp\left(-\frac{t-\mu}{\sigma}\right) \right) = -\frac{S'(t)}{1-S(t)} \quad (30)$$

Substituting equation (30) into equation (29) yields

$$S''(t) = -\frac{S'(t)}{1-S(t)} \left(S'(t) + \frac{1}{\sigma} (1-S(t)) \right) \quad (31)$$

The second order ordinary differential equation for the survival function of the Gumbel distribution is given by;

$$\sigma(1-S(t))S''(t) + \sigma S'^2(t) + (1-S(t))S'(t) = 0 \quad (32)$$

$$S(0) = 1 - \exp\left\{-\left[\exp\left(\frac{\mu}{\sigma}\right)\right]\right\} \quad (33)$$

$$S'(0) = -\frac{1}{\sigma} \left(\exp\left(\frac{\mu}{\sigma}\right) \right) \exp\left\{-\left[\exp\left(\frac{\mu}{\sigma}\right)\right]\right\} \quad (34)$$

V. INVERSE SURVIVAL FUNCTION

The inverse survival function of the Gumbel distribution is given as;

$$Q(p) = \mu - \sigma \ln(-\ln(1-p)) \quad (35)$$

To obtain the first order ordinary differential equation for the inverse survival function of the Gumbel distribution, differentiate equation (35), to obtain;

$$Q'(p) = \frac{\sigma}{(1-p)\ln(1-p)} \quad (36)$$

The condition necessary for the existence of equation is $\sigma > 0, 0 < p < 1$.

Differentiating equation (36), we obtain;

$$Q''(p) = \left[\frac{\sigma}{(1-p)^2 (\ln(1-p))^2} + \frac{\sigma}{(1-p)^2 \ln(1-p)} \right] \quad (37)$$

The condition necessary for the existence of equation is $\sigma > 0, 0 < p < 1$.

Squaring both sides of equation (36) leads to

$$Q'^2(p) = \frac{\sigma^2}{(1-p)^2 (\ln(1-p))^2} \quad (38)$$

$$\frac{Q'^2(p)}{\sigma} = \frac{\sigma}{(1-p)^2 (\ln(1-p))^2} \quad (39)$$

Also dividing both sides of equation (36) by $1-p$;

$$\frac{Q'(p)}{p} = \frac{\sigma}{(1-p)^2 \ln(1-p)} \quad (40)$$

Substituting equations (39) and (40) into equation (37) gives

$$Q''(p) = \left[\frac{Q'^2(p)}{\sigma} + \frac{Q'(p)}{1-p} \right] \quad (41)$$

The second order ordinary differential equation for the inverse survival function of the Gumbel distribution is given by;

$$\sigma(1-p)Q''(p) - (1-p)Q'^2(p) - \sigma Q'(p) = 0 \quad (42)$$

$$Q(0.1) = \mu + 2.25\sigma \quad (43)$$

$$Q'(0.1) = -10.5458\sigma \quad (44)$$

VI. HAZARD FUNCTION

The hazard function of the Gumbel distribution is given as;

$$h(t) = \frac{\frac{1}{\sigma} \exp\left\{-\left[\frac{t-\mu}{\sigma} + \exp\left(-\frac{t-\mu}{\sigma}\right)\right]\right\}}{1 - \exp\left\{-\left[\exp\left(-\frac{t-\mu}{\sigma}\right)\right]\right\}} \quad (45)$$

To obtain the first order ordinary differential equation for the hazard function of the Gumbel distribution, differentiate equation (45), to obtain;

$$h'(t) = -\frac{\frac{1}{\sigma} \left(1 - \exp\left(-\frac{t-\mu}{\sigma}\right) \right) \exp\left\{-\left[\frac{t-\mu}{\sigma} + \exp\left(-\frac{t-\mu}{\sigma}\right)\right]\right\}}{\exp\left\{-\left[\frac{t-\mu}{\sigma} + \exp\left(-\frac{t-\mu}{\sigma}\right)\right]\right\}^2} h(t) + \frac{\left(1 - \exp\left\{-\left[\exp\left(-\frac{t-\mu}{\sigma}\right)\right]\right\} \right)^{-2} h(t)}{\left(1 - \exp\left\{-\left[\exp\left(-\frac{t-\mu}{\sigma}\right)\right]\right\} \right)^{-1}} h(t) \quad (46)$$

$$h'(t) = \left\{ -\frac{1}{\sigma} \left(1 - \exp\left(-\frac{t-\mu}{\sigma}\right) \right) + \frac{\frac{1}{\sigma} \exp\left\{-\left[\frac{t-\mu}{\sigma} + \exp\left(-\frac{t-\mu}{\sigma}\right)\right]\right\}}{\left(1 - \exp\left\{-\left[\exp\left(-\frac{t-\mu}{\sigma}\right)\right]\right\} \right)} \right\} h(t) \quad (47)$$

The condition necessary for the existence of equation is $\sigma > 0, \mu, t \in \mathbb{R}$.

$$h'(t) = \left\{ -\frac{1}{\sigma} \left(1 - \exp\left(-\frac{t-\mu}{\sigma}\right) \right) + h(t) \right\} h(t) \quad (48)$$

Differentiating equation (48), one gets

$$h''(t) = \left\{ -\frac{1}{\sigma} \left(1 - \exp\left(-\frac{t-\mu}{\sigma}\right) \right) + h(t) \right\} h'(t) + \left\{ -\frac{1}{\sigma^2} \left(\exp\left(-\frac{t-\mu}{\sigma}\right) \right) + h'(t) \right\} h(t) \quad (50)$$

The condition necessary for the existence of equation is $\sigma > 0, \mu, t \in \mathbb{R}$.

The following equations obtained from the simplification of equation (48) are needed to simplify equation (50);

$$\frac{h'(t)}{h(t)} = -\frac{1}{\sigma} \left(1 - \exp\left(-\frac{t-\mu}{\sigma}\right) \right) + h(t) \quad (51)$$

$$\frac{h'(t)}{h(t)} - h(t) = -\frac{1}{\sigma} \left(1 - \exp\left(-\frac{t-\mu}{\sigma}\right) \right) \quad (52)$$

$$-\sigma \left(\frac{h'(t)}{h(t)} - h(t) \right) = 1 - \exp\left(-\frac{t-\mu}{\sigma}\right) \quad (53)$$

$$1 + \sigma \left(\frac{h'(t)}{h(t)} - h(t) \right) = \exp\left(-\frac{t-\mu}{\sigma}\right) \quad (54)$$

Substituting equations (51) and (54) into equation (50) gives

$$h''(t) = \frac{h'^2(t)}{h(t)} + \left\{ -\frac{1}{\sigma^2} \left(1 + \sigma \left(\frac{h'(t)}{h(t)} - h(t) \right) \right) + h'(t) \right\} h(t) \quad (55)$$

$$h''(t) = \frac{h'^2(t)}{h(t)} - \frac{h(t)}{\sigma^2} - \frac{h'(t)}{\sigma} + \frac{h^2(t)}{\sigma} + h(t)h'(t) \quad (56)$$

The second order ordinary differential equation for the hazard function of the Gumbel distribution is given by;

$$\sigma^2 h(t)h''(t) - \sigma^2 h'^2(t) + (\sigma h(t) - \sigma^2 h^2(t))h'(t) + h^2(t) - \sigma h^3(t) = 0 \quad (57)$$

$$h(0) = \frac{\frac{1}{\sigma} \exp\left\{ -\left[-\frac{\mu}{\sigma} + \exp\left(\frac{\mu}{\sigma}\right) \right] \right\}}{1 - \exp\left\{ -\left[\exp\left(\frac{\mu}{\sigma}\right) \right] \right\}} \quad (58)$$

$$h'(0) = \left\{ -\frac{1}{\sigma} \left(1 - \exp\left(\frac{\mu}{\sigma}\right) \right) + h(0) \right\} h(0) \quad (59)$$

VII. REVERSED HAZARD FUNCTION

The reversed hazard function of the Gumbel distribution is given as;

$$j(t) = \frac{1}{\sigma} \exp\left(-\frac{t-\mu}{\sigma}\right) \quad (60)$$

To obtain the first order ordinary differential equation for the reversed hazard function of the Gumbel distribution, differentiate equation (60), to obtain;

$$j'(t) = -\frac{1}{\sigma^2} \exp\left(-\frac{t-\mu}{\sigma}\right) \quad (61)$$

The condition necessary for the existence of equation is $\sigma > 0, \mu, t \in \mathbb{R}$.

$$\sigma j'(t) = -\frac{1}{\sigma} \exp\left(-\frac{t-\mu}{\sigma}\right) \quad (62)$$

$$\sigma j'(t) = -j(t) \quad (63)$$

The first order ordinary differential equation for the reversed hazard function of the Gumbel distribution is given by;

$$\sigma j'(t) + j(t) = 0 \quad (64)$$

$$j(0) = \frac{1}{\sigma} \exp\left(\frac{\mu}{\sigma}\right) \quad (65)$$

The ODEs of all the probability functions considered can be obtained for the particular values of the distribution. Several analytic, semi-analytic and numerical methods can be applied to obtain the solutions of the respective differential equations [34-48]. Also comparison with two or more solution methods is useful in understanding the link between ODEs and the probability distributions.

VIII. CONCLUDING REMARKS

In this work, differentiation was used to obtain some classes of ordinary differential equations for the probability density function (PDF), quantile function (QF), survival function (SF), inverse survival function (ISF), hazard function (HF) and reversed hazard function (RHF) of the Gumbel distribution. The work was simplified by the application of simple algebraic procedures. In all, the parameters that define the distribution determine the nature of the respective ODEs and the range determines the existence of the ODEs.

ACKNOWLEDGMENT

The authors are unanimous in appreciation of financial sponsorship from Covenant University. The constructive suggestions of the reviewers are greatly appreciated.

REFERENCES

- [1] E.J. Gumbel, "Les valeurs extremes des distributions statistiques", *Annal. l'Institut Henri Poincaré*, vol. 5, no. 2, pp. 115-158, 1935.
- [2] E.J. Gumbel, "The return period of flood flows", *Ann. Math. Stat.*, vol. 12, pp. 163-190, 1941.
- [3] S. Adeyemi and M.O. Ojo, "A generalization of the Gumbel distribution", *Kragujevac J. Math*, vol. 25, pp. 19-29, 2003.
- [4] K. Cooray, "Generalized Gumbel distribution", *J. Appl. Stat.*, vol. 37, no. 1, pp. 171-179, 2010.
- [5] S. Nadarajah and S. Kotz, "The beta Gumbel distribution", *Math. Probl. Engine.*, vol. 2004, no. 4, pp. 323-332, 2004.
- [6] S. Nadarajah, "The exponentiated Gumbel distribution with climate application", *Environmetrics*, vol. 17, no. 1, pp. 13-23, 2006.
- [7] G.M. Cordeiro, S. Nadarajah and E.M.M. Ortega, "The Kumaraswamy Gumbel distribution", *Stat. Meth. Appl.*, vol. 21, no. 2, pp. 139-168, 2012.
- [8] T. Andrade, H. Rodrigues, M. Bourguignon and G.M. Cordeiro, "The exponentiated generalized Gumbel distribution", *Rev. Colomb. Estad.*, vol. 38, no. 1, pp. 123-143, 2015.
- [9] E. de Brito, G.O. Silva, G.M. Cordeiro and C.G.B. Demétrio, "The McDonald Gumbel model", *Comm. Stat. Theo. Meth.*, vol. 45, no. 11, pp. 3367-3382, 2016.

- [10] D. Deka, B. Das and B.K. Baruah, "Transmuted exponentiated gumbel distribution (TEGD) and its application to water quality data", *Pak. J. Stat. Oper. Res.*, vol. 13, no. 1, pp. 115-126, 2017.
- [11] R.A. Chechile, "Bayesian analysis of Gumbel distributed data", *Comm. Stat. Theo. Meth.*, vol. 30, no. 3, pp. 485-496, 2001.
- [12] A. Asgharzadeh, M. Abdi and S. Nadarajah, "Interval estimation for Gumbel distribution using climate records", *Bull. Malay. Math. Sci. Soc.*, vol. 39, no. 1, pp. 257-270, 2016.
- [13] M.N. Leese, "Use of censored data in the estimation of Gumbel distribution parameters for annual maximum flood series", *Water Res. Res.*, vol. 9, no. 6, pp. 1534-1542, 1973.
- [14] N. Mujere, "Flood frequency analysis using the Gumbel distribution", *Int. J. Comp. Sci. Engine.*, vol. 3, no. 7, pp. 2774-2778, 2011.
- [15] E. Simiu, N.A. Heckert, J.J. Filliben and S.K. Johnson, "Extreme wind load estimates based on the Gumbel distribution of dynamic pressures: an assessment", *Struc. Safety*, vol. 23, no. 3, pp. 221-229, 2001.
- [16] E.C. Pinheiro and S.L.P. Ferrari, "A comparative review of generalizations of the Gumbel extreme value distribution with an application to wind speed data", *J. Stat. Comput. Simulation*, vol. 86, no. 11, pp. 2241-2261, 2016.
- [17] M.P. Pes, E.B. Pereira, J.A. Marengo, F.R. Martins, D. Heinemann and M. Schmidt, "Climate trends on the extreme winds in Brazil", *Renew. Ener.*, vol. 109, pp. 110-120, 2017.
- [18] S. Yue, "The Gumbel logistic model for representing a multivariate storm event", *Adv. Water Resour.*, vol. 24, no. 2, pp. 179-185, 2000.
- [19] Kijko, "A modified form of the first Gumbel distribution: model for the occurrence of large earthquakes, II: Estimation of parameters", *Acta Geophys. Polon.*, vol. 31, no. 2, pp. 147-159, 1983.
- [20] I. Vidal, "A Bayesian analysis of the Gumbel distribution: An application to extreme rainfall data", *Stoc. Env. Res. Risk Assess.*, vol. 28, no. 3, pp. 571-582, 2014.
- [21] J.L. Ng, S. Abd Aziz, Y.F. Huang, A. Wayayok and M.K. Rowshon, "Analysis of annual maximum rainfall in Kelantan, Malaysia", *Acta Hortic.*, vol. 1152, pp. 11-17, 2017.
- [22] N. Boudrissa, H. Cheraitia and L. Halimi, "Modelling maximum daily yearly rainfall in northern Algeria using generalized extreme value distributions from 1936 to 2009", *Meteo. Appl.*, vol. 24, no. 1, pp. 114-119, 2017.
- [23] Z.S. Asadi and R.E. Melchers, "Extreme value statistics for pitting corrosion of old underground cast iron pipes", *Relia. Engine. Syst. Safety*, vol. 162, pp. 64-71, 2017.
- [24] S. Dong, J. Zhai and S. Tao, "Long-term statistics of extreme tsunami height at Crescent City", *J. Ocean Uni. China*, vol. 16, no. 3, pp. 437-446, 2017.
- [25] N. Gaj and C.A. Madramootoo, "Long-Term Simulations of the Hydrology for Sugarcane Fields in the Humid Tropics: Case Study on Guyana's Coastland", *J. Irrigation Drain. Engine.*, vol. 143, no. 8, art. 05017002, 2017.
- [26] E. Soliveres, P. Poveda, V.D. Estruch, I. Pérez-Arjona, V. Puig, P. Ordóñez, J. Ramis and V. Espinosa, "Monitoring fish weight using pulse-echo waveform metrics", *Aquacult. Engine.*, vol. 77, pp. 125-131, 2017.
- [27] J. Weusten, H. van Drimmelen, M. Vermeulen and N. Lelie, "A mathematical model for estimating residual transmission risk of occult hepatitis B virus infection with different blood safety scenarios", *Transfusion*, vol. 57, no. 3, pp. 841-849, 2017.
- [28] J.O. Okeniyi, C.C. Nwadialo, F.E. Olu-Steven, S.S. Ebinne, T.E. Coker, E.T. Okeniyi, A.S. Ogbiye, T.O. Durotoye and E.O.O. Badmus, "C3H7NO2S effect on concrete steel-rebar corrosion in 0.5 M H2SO4 simulating industrial/microbial environment", *AIP Conference Proc.*, vol. 1814, Art. no. 020035, 2017.
- [29] N.L. Johnson, S. Kotz and N. Balakrishnan, *Continuous univariate distributions*, Wiley New York. ISBN: 0-471-58495-9, 1994.
- [30] W.P. Elderton, *Frequency curves and correlation*, Charles and Edwin Layton. London, 1906.
- [31] H. Rinne, *Location scale distributions, linear estimation and probability plotting using MATLAB*, 2010.
- [32] N. Balakrishnan and C.D. Lai, *Continuous bivariate distributions*, 2nd edition, Springer New York, London, 2009.
- [33] N.L. Johnson, S. Kotz and N. Balakrishnan, *Continuous Univariate Distributions*, Volume 2. 2nd edition, Wiley, 1995.
- [34] S.O. Edeki, H.I. Okagbue, A.A. Opanuga and S.A. Adeosun, "A semi - analytical method for solutions of a certain class of second order ordinary differential equations", *Applied Mathematics*, vol. 5, no. 13, pp. 2034 - 2041, 2014.
- [35] S.O. Edeki, A.A. Opanuga and H.I. Okagbue, "On iterative techniques for numerical solutions of linear and nonlinear differential equations", *J. Math. Computational Sci.*, vol. 4, no. 4, pp. 716-727, 2014.
- [36] A.A. Opanuga, S.O. Edeki, H.I. Okagbue, G.O. Akinlabi, A.S. Osheku and B. Ajayi, "On numerical solutions of systems of ordinary differential equations by numerical-analytical method", *Appl. Math. Sciences*, vol. 8, no. 164, pp. 8199 - 8207, 2014.
- [37] S.O. Edeki, A.A. Opanuga, H.I. Okagbue, G.O. Akinlabi, S.A. Adeosun and A.S. Osheku, "A Numerical-computational technique for solving transformed Cauchy-Euler equidimensional equations of homogenous type. *Adv. Studies Theo. Physics*, vol. 9, no. 2, pp. 85 - 92, 2015.
- [38] S.O. Edeki, E.A. Owoloko, A.S. Osheku, A.A. Opanuga, H.I. Okagbue and G.O. Akinlabi, "Numerical solutions of nonlinear biochemical model using a hybrid numerical-analytical technique", *Int. J. Math. Analysis*, vol. 9, no. 8, pp. 403-416, 2015.
- [39] A.A. Opanuga, S.O. Edeki, H.I. Okagbue and G.O. Akinlabi, "Numerical solution of two-point boundary value problems via differential transform method", *Global J. Pure Appl. Math.*, vol. 11, no. 2, pp. 801-806, 2015.
- [40] A.A. Opanuga, S.O. Edeki, H.I. Okagbue and G. O. Akinlabi, "A novel approach for solving quadratic Riccati differential equations", *Int. J. Appl. Engine. Res.*, vol. 10, no. 11, pp. 29121-29126, 2015.
- [41] A.A. Opanuga, O.O. Agboola and H.I. Okagbue, "Approximate solution of multipoint boundary value problems", *J. Engine. Appl. Sci.*, vol. 10, no. 4, pp. 85-89, 2015.
- [42] A.A. Opanuga, O.O. Agboola, H.I. Okagbue and J.G. Oghonyon, "Solution of differential equations by three semi-analytical techniques", *Int. J. Appl. Engine. Res.*, vol. 10, no. 18, pp. 39168-39174, 2015.
- [43] A.A. Opanuga, H.I. Okagbue, S.O. Edeki and O.O. Agboola, "Differential transform technique for higher order boundary value problems", *Modern Appl. Sci.*, vol. 9, no. 13, pp. 224-230, 2015.
- [44] A.A. Opanuga, S.O. Edeki, H.I. Okagbue, S.A. Adeosun and M.E. Adeosun, "Some Methods of Numerical Solutions of Singular System of Transistor Circuits", *J. Comp. Theo. Nanosci.*, vol. 12, no. 10, pp. 3285-3289, 2015.
- [45] A.A. Opanuga, E.A. Owoloko and H.I. Okagbue, "Comparison homotopy perturbation and Adomian decomposition techniques for parabolic equations", *Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering 2017, 5-7 July, 2017, London, U.K.*, pp. 24-27.
- [46] A.A. Opanuga, E.A. Owoloko, H.I. Okagbue and O.O. Agboola, "Finite difference method and Laplace transform for boundary value problems", *Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering 2017, 5-7 July, 2017, London, U.K.*, pp. 65-69.
- [47] A.A. Opanuga, E.A. Owoloko, O.O. Agboola and H.I. Okagbue, "Application of homotopy perturbation and modified Adomian decomposition methods for higher order boundary value problems", *Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering 2017, 5-7 July, 2017, London, U.K.*, pp. 130-134.
- [48] O.O. Agboola, A.A. Opanuga and J.A. Gbadayan, "Solution of third order ordinary differential equations using differential transform method", *Global J. Pure Appl. Math.*, vol. 11, no. 4, pp. 2511-2516, 2015.